

Price
List

Price List 2025

Construction Chemistry

Primers · Epoxy

Paints and Coatings · Epoxy

Paints and Coatings · Polyurethanes

Paints · Acrylic

Self-Levelling Mortars · Cement

Waterproofing

Sealants and Joint Grouts

Ancillary Products

Concrete Repair

PRICE LIST 2024

INDEX

PRODUCT	page	PRODUCT	page	PRODUCT	page
Surface treatment		Waterproofing		Concrete Repair	
Primers · Epoxy		Seire WP Primer		Mortars, Adhesives and Injection	
Seirepox Imprimación	3	Seire WP Fast Primer	5	Adipox Inyección	6
Seirepox Imprimación Conductivo	3	Seire WP 150	5	Adipox Unión 100	6
Seirepox Imprimación Humedad	3	Seire WP 200	5	Adipox EP1000	6
Seirepox Imprimación Snell	3	Seire WP 300 Insulation	5	Seirepox A/N	6
Seiregrosprimer	3	Seire WP 400	5	Seirelatex	6
Seiretar R	3	Seire WP 400 TI	5		
Paints and Coatings · Epoxy		Seire WP 500	5		
Seirepox MF	3	Seire WP 500 T	5		
Seirepox Multicapa	3	Seire WP Finish	5		
Seirepox Multicapa AL	3	Seirepur Inject	5		
Seirepox Multicapa Snell	3	Seirepur Reinject	5		
Seirepox Autonivelante Conductivo	3	Seirecat Inject	5		
Seirepox R Conductivo	3	Seirecat Reinject	5		
Seirepox SF250	3	Sealants and Joint Grouts			
Seirepox Top Plus	3	Probijunt GR	6		
Seirepox Top Plus M	4	Ardiflex	6		
Seirepox Decor	4	Probijunt D1	6		
Seirepox 10W	4	Probijunt D1 Imprimación	6		
Seirepox 20WB	4	Seiregrout EP	6		
Seirepox Coat W	4	Seiregrout EP FLUID	6		
Paints and Coatings · Polyurethanes		Ancillary Products			
Probitano Autonivelante	4	Seirecuarzo 0,4	6		
Probitano Autonivelante Elástico	4	Seirecuarzo 0,6	6		
Probitano R20	4	Seirecuarzo 0,8	6		
Probitano W Transparente	4	Seirecuarzo Color	6		
Probitano R Antirrayado	4	Aditivo Antislip	6		
Paints · Acrylic		Diluyente Epoxi	6		
Seirecolor	4	Diluyente PU y Poliaspárticos	6		
Self-Leveling Mortars · Cement		Cinta de Cobre	6		
Seirecem Nivelación BE	5	Malla Sportec	6		

NOTE:

Due to the volatility of raw materials, rising costs and geopolitical uncertainties, prices for the Seire product range may vary and will be confirmed promptly upon receipt of each order.

SURFACE TREATMENT / Primers · Epoxy

PRODUCT	CODE	DESCRIPTION	CONSUMPTION	PACKAGING (kg/u.)	PALLET (kg/u.)	€/kg	€/Pack.
SEIREPOX IMPRIMACIÓN	8004441	General purpose 100% solids primer for mineral substrates. EN 13813 SR-B2.0 certified	200 - 300 g/m ² /layer	10	36 packs = 2 pallets	19,23	192,30
				25	20 packs = 1 pallet	18,91	472,75
SEIREPOX IMPRIMACIÓN CONDUCTIVO	8004442	Highly conductive water based primer for antistatic systems.	Aprox. 100 g/m ²	10	36 packs = 2 pallets	21,54	215,40
SEIREPOX IMPRIMACIÓN HUMEDAD		100% solids primer for application on metallic substrates and damp mineral substrates. EN 13813 SR-B2.0 certified	250 - 350 g/m ² /layer	25	20 packs = 1 pallet	19,96	499,00
SEIREPOX IMPRIMACIÓN SNELL	8001452	Ultra fast curing 100% solids primer. EN 13813 SR-B2.0 certified	200 - 300 g/m ² /layer	20	20 packs = 1 pallet	21,01	420,20
SEIREGROSPRIMER	8004446	Fluid epoxy mortar for intermediate layers and regularization. EN 13813 SR-B2.0 certified	Pure aprox. 1,3 kg/m ² /mm Mortar 1 : 0,5 aprox. 1,5 kg/m ² /mm	25	20 packs = 1 pallet	13,03	325,75
SEIRETAR R	8004445	Tar-modified epoxy resin based coating, solvent-free.	0,6-1 kg/m ²	25	20 packs = 2 pallets	16,71	417,75

SURFACE TREATMENT / Paints & Coatings · Epoxy

SEIREPOX MF	8004281	Multi-purpose 100% solids coating. Applicable as a paint, multilayer or self-levelling. EN 13813 SR-AR0.5-IR14-B2.0 certified. Reaction to fire Bfl-s1	Paint 250 - 300 g/m ² /layer Self-levelling 1:0.5 1,6 kg/m ² /mm Multilayer mortar 1:0.4 500 - 600 g/m ² /layer Sealing 400 - 500 g/m ²	25	20 packs = 1 pallet	Colors 1 15,55	388,75
						Colors 2 17,23	430,75
SEIREPOX MULTICAPA	8001480	Binder for preparation of multilayer coatings. EN 13813 SR-AR0.5-IR7-B2.0 certified. Reaction to fire Bfl-s1	Mortar 1:0,4 500 - 600 g/m ² /layer Sealing 400 - 500 g/m ²	25	20 packs = 1 pallet	Colors 1 15,13	378,25
						Colors 2 16,81	420,25
SEIREPOX MULTICAPA AL	8001481	Colored binder 100% solids. Suitable for contact with drinking water. Colours: Green (RAL6010), Grey (RAL7001), Beige (RAL1019), Red (RAL3013) Fulfilment of requirements in R.D. 847/2011 - 3/2023 and Commission Regulation EU No. 10/2011	Paint 250 - 400 g/m ² /layer Mortar 1:0,5 500 - 600 g/m ² /layer Sealing 500 g/m ²	25	20 packs = 1 pallet	20,59	514,75
SEIREPOX MULTICAPA SNELL	8001482	Ultra fast-setting epoxy binder 100% solids for preparation of multi layer coating.	Mortar 1:0,4 500 - 600 g/m ² /layer Sealing 400 - 500 g/m ²	25	20 packs = 1 pallet	Colors 1 16,71	417,75
						Colors 2 18,39	459,75
SEIREPOX AUTONIVELANTE CONDUCTIVO	8001447	Self-leveling, coating with antistatic properties, 100% solids. EN 13813 SR-AR0.5-IR14-B2.0 certified. Reaction to fire Bfl-s1	Self-levelling 1:0,3 2,5 kg/m ² /1,5 mm	25	20 packs = 1 pallet	Colors 1 18,07	361,40
						Colors 2 19,76	395,20
SEIREPOX R CONDUCTIVO	8001486	Paint for antistatic flooring 100% solids. Colours: Grey (RAL7001), Medium grey (RAL7042), Blue (RAL5024), Dark grey (RAL7042)	250 g/m ² /layer	25	20 packs = 1 pallet	55,05	1376,25
SEIREPOX SF250	8004654	100% solids low VOC paint. High coverage capacity specially suitable for application on garage flooring, warehouses and light industry. Available colours: Yellow (RAL 1018), Red (RAL 3018), Blue (RAL 5012), Green (RAL 6021), Grey (RAL 7015), Light Grey (RAL 7035), White (RAL 9010)	150 - 250 g/m ² /layer	20	20 packs = 1 pallet	15,76	315,20
SEIREPOX TOP PLUS		100% solids clear binder with very low yellowing tendency. Applicable as primer, intermediate and sealing layer. For multilayer systems with quartz aggregate or colored sand, dry mortar, compact and image system. EN 13813 SR-AR0.5-IR14-B2.0 certified. Reaction to fire Cfl-s1	Primer y sealing 200 - 300 g/m ² Multilayer mortar 1:0,5 500 - 600 g/m ² /layer Dry mortar 1:6 2 kg/m ² /mm topcoat system image máx. 1,5 kg/m ²	25	20 packs = 1 pallet	17,65	441,25

● Minimum order 100 kg7

SURFACE TREATMENT / Paints & Coatings - Epoxy (Cont.)

PRODUCT	CODE	DESCRIPTION	CONSUMPTION	PACKAGING (kg/u.)	PALLET (kg/u.)	€/kg	€/Pack.
SEIREPOX TOP PLUS M	8005401	100% solids clear binder. Use as primer, intermediate layer or mortar. Solvent free. Excellent adhesion. EN 13813 SR-B2.0 certified	Primer 300 g/m ² Dry mortar 1:6 2 kg/m ² /mm Multilayer mortar 1 : 0,5 500 - 600 g/m ² /layer	25	20 packs = 1 pallet	16,91	422,75
SEIREPOX DECOR	8001460	Colored binder specially developed to prepare mortars with crushed marble or glass, for decorative flooring. Also as binder for coloured semi-dry mortar.	According to amount and type of aggregate used	20	20 packs = 1 pallet	Colors 1 21,33	426,60
						Colors 2 23,01	460,20
SEIREPOX 10W	8001487	High performance water-based paint. EN13813: SR-AR0.5-IR14-B2.0 certified. Fire reaction Bfl-s1	200 - 300 g/m ² /layer	25	20 packs = 1 pallet	Colors 1 14,50	362,50
						Colors 2 16,18	404,50
SEIREPOX 20WB	8005252	High performance water-based paint with very low VOC and glossy finish.	200 - 300 g/m ² /layer	25	20 packs = 1 pallet	Colors 1 16,43	410,75
						Colors 2 18,08	452,00
SEIREPOX COAT W	8004651	Multi-purpose water-based, satin-matt coating suitable for damp substrates or without vapour barrier. Applicable as a paint, multilayer, self-levelling and mortar. EN13813: SR-AR0.5-IR14-B2.0 certified. Reaction to fire Bfl-s1	Primer: 85 g/m ² Anti-slip paint: 150 g/m ² /layer Self-levelling 1:1: 1,7 kg/m ² /mm Mortar 1:0,4 400 - 500 g/m ² /layer Mortar 1:3: 2,0 kg/m ² /mm	25	20 packs = 1 pallet	Colors 1 16,39	409,75
						Colors 2 18,07	451,75

SURFACE TREATMENT / Coatings - Polyurethanes

PROBITANO AUTONIVELANTE	8004452	100% solids, two-component binder, for self-levelling high performance flooring. EN 13813 SR-AR0.5-IR4-B2.0 certified. Reaction to fire Bfl-s1	Self-levelling 1:0,5 1,7 kg/m ² /mm	20	20 packs = 1 pallet	Colors 1 16,18	323,60
						Colors 2 17,86	357,20
PROBITANO AUTONIVELANTE ELASTICO	8004453	100% solids, two-component elastic binder, for self-levelling elastic flooring. EN 13813 SR-AR0.5-IR14-B2.0 certified. Reaction to fire Cfl-s1	Self-levelling 1:0,3 1,6 kg/m ² /mm	20	20 packs = 1 pallet	Colors 1 16,81	336,20
						Colors 2 18,49	369,80
PROBITANO R20	8001458	Solvent based two-component aliphatic paint with high chemical, abrasion and UV resistance. EN13813: SR-AR0.5-IR14-B2.0 certified. Reaction to fire Bfl-s1	200 - 250 g/m ² /layer	20	20 packs = 1 pallet	Colors 1 20,17	403,40
						Colors 2 21,86	437,20
PROBITANO W TRANSPARENTE	8005574	Two-component water-based aliphatic varnish with gloss finish. Applicable on mineral and polymeric substrates.	Approx 200 g/m ² in two hands, depending on the roughness of the support	10	40 packs = 2 pallets	25,42	254,20
PROBITANO R ANTIRRAYADO	8001433	Solvent based clear, matt, two-component aliphatic coating suitable for finishing and protection of polymeric flooring, increasing abrasion, chemical and UV resistance. EN 13813 SR-B2.0 certified. Reaction to fire Bfl-s1	80 - 90 g/m ² /layer	10	36 packs = 2 pallets	29,42	294,20

SURFACE TREATMENT / Paints - Acrylic

SEIRECOLOR	8001494	Water-based acrylic dispersion. Anti-carbonation coating. Colours: Red, grey, green, white. Other colors minimum order of 500 kg. EN 1504-2 principle 1.3 certified	250 g/m ² /layer	25	600	6,93	173,25
-------------------	----------------	--	-----------------------------	----	-----	-------------	---------------

● Minimum order 100 kg

SURFACE TREATMENT / Self-Levelling Mortars · Cement

PRODUCT	CODE	DESCRIPTION	CONSUMPTION	PACKAGING (kg/u.)	PALLET (kg/u.)	€/kg	€/Pack.
SEIRECEM NIVELACIÓN BE	24430	Self-leveling mortar for large surfaces. Covering, smoothing and leveling floors. Thicknesses from 1 to 15 mm. Walkable after 2-3 hours. Certified acc. EN 13813:2002 CT-C30-F7	1,6 kg/m ² /mm	25	1125	1,58	39,50
WATERPROOFING 1							
SEIRE WP PRIMER	8005117	Water based epoxy primer for all kind of substrates. EN13813 SR: B2.0 certified	100 - 300 g/m ² /layer	10	36 packs 2 pallets	16,18	161,80
				20	20 packs 2 pallets	16,18	323,60
SEIRE WP FAST PRIMER	8005602	Ultra fast curing epoxy primer, specially designed for use with SEIRE WP500. Water-based, solvent free, low emissions. EN 13813 SR – B2.0 certified	100 - 200 g/m ² /layer	10	36 packs 2 pallets	21,22	212,20
SEIRE WP150	30483 Blanco 30881 Gris 40299 R. Teja	One component water based aliphatic PU waterproofing membrane for roofs and decks even at slope zero. Available colours: White, Grey and Tile Red. Tested and classified according to ETAG 005. Reaction to fire Broof (t1)	1,5 - 3,5 kg/m ²	20	480	11,35	227,00
SEIRE WP200	8004454	Two-component aliphatic, polyurethane coating with high elasticity and resistance to ultraviolet radiation, especially recommended as protection for waterproof membranes.	200 - 300 g/m ² /layer	25	20 packs = 1 pallet	Colors 1 26,79	669,75
				25		Colors 2 28,47	711,75
SEIRE WP300 INSULATION	39318	Aliphatic polyurethane waterproofing paint with high reflectance of solar radiation for "Cool Roof" systems. Reaction to fire Broof (t1)	250 g/m ² /layer	20	480	13,66	273,20
SEIRE WP400	8004138	Machine hot applied high elastic pure polyurea waterproofing membrane. Color: Grey (RAL7037). Limited colours range on demand. ETE 14/0396 certified	2,0 - 3,0 kg/m ²	435	870	15,34	6672,90
SEIRE WP400 TI	8004480	Modified polyurea waterproofing membrane. High resistance to hydrolysis and aging. Colour: Grey (RAL 7037). Limited color range on demand	2,0 – 2,5 kg/m ²	435	870	12,81	5572,35
SEIRE WP500	8005190	Aliphatic 100% solids hand applied polyaspartic coating for seamless waterproofing and continous flooring. High mechanical strength and wear resistance. Transitable after 2 hours. EN 13813 SR – AR0.5 – IR14 – B2.0. EN1504-2 Principle 2.2 certified	Paint Aprox. 250 g/m ² /layer Mortar 1:0,4 500 - 600 g/m ² /layer TopCoat Aprox. 450 g/m ²	10	36 packs 2 pallets	Colors 1 31,42	314,20
				10	36 packs 2 pallets	Colors 2 33,09	330,90
SEIRE WP500 T	8005191	100% solid, aliphatic and colorless hand applied polyaspartic resin. Waterproof, high mechanical resistance and wear resistance for repair and execution of continuous flooring. Can be walked on after 2 hours. Indoors.	Sealing 300 - 500 g/m ² /layer Mortar 1:0,4 500 - 600 g/m ² /layer	5	80 packs 1 pallet	40,24	201,20
SEIRE WP FINISH	8004943	Solvent based two-component satin aliphatic PU coating for protection of SEIRE WP 400 TI and SEIRE WP 400 specially on trafficable areas. EN13813: SR-AR0.5-IR14-B2.0 certified. Reaction to fire Bfl-s1	150 - 200 g/m ² /layer	20	20 packs 1 pallet	Colors 1 21,43	428,60
						Colors 2 22,17	443,40
SEIREPUR INJECT	24979	Expansive, water-reactive PU injection resin for plugging of water infiltrations.	Depends on the size of the cracks	25	650	16,71	417,75
SEIREPUR REINJECT	24980	Water reactive waterproofing PU resin for reinjection works.	Depends on the size of the cracks	25	650	15,86	396,50
SEIRECAT INJECT	24981	Catalyst and speed reaction adjusting for SEIREPUR INJECT.	2 - 10% on resin	2,5	400	17,76	44,40
SEIRECAT REINJECT	25002	Catalyst and speed reaction adjusting for SEIREPUR REINJECT.	5 - 10% on resin	2,5	400	23,22	58,05

SEALANTS AND JOINT GROUTS

PRODUCT	CODE	DESCRIPTION	CONSUMPTION	PACKAGING (kg/u.)	PALLET (kg/u.)	€/kg	€/Pack.
PROBIJUNT GR	15391	Hot-applied modified bitumen mastic.	Aprox 1,3 kg/L de junta	25	800 ●	3,88	97,00
ARDIFLEX	50408	Gun-grade, one component elastic PU sealant. Polymerization takes place through ambient humidity. The hardened product is a mastic with permanent flexibility and elasticity. Colour: Grey. EN15651-1, EN15651-4 certi-	130 g/m (joint section of 1x1cm)	Cartridge of 600 ml	Box of 20 Ud.	10,83	216,60
PROBIJUNT D1	8004455	Self-leveling two-component polyurethane/tar sealant. BS 5212 and UNE 53621-89 type R class C certified	150 g/m (joint section of 1x1 cm)	25	20 packs = 1 pallet	9,56	239,00
PROBIJUNT D1 IMPRIMACIÓN	14114	One-component polyurethane primer. Excellent adhesion. For multiple kind of substrates. Fast curing. Easy application.	Aprox. 350 g/m ²	1	96	22,91	22,91
SEIREGROUT EP	8005899	Water-based epoxy mortar for grouting of tiles, ceramic tiles, antacid stoneware and mosaics. Very low VOC. Colors: Anthracite, Grey, White, Beige.	85 g/m (joint section of 7x7mm)	10	40 packs = 2 pallets	11,45	114,50
SEIREGROUT EP FLUID	8005966	Transparent epoxy binder, 100% solids, for the preparation of grouting mortars and anti-acid stoneware adhesives. Washable with water. Very low VOC. Suitable for different application methods.	Depends on application method, % of added loads and size of stoneware	10	36 packs = 2 pallets	25,96	259,60

ANCILLARY PRODUCTS

PRODUCT	CODE	DESCRIPTION	CONSUMPTION	PACKAGING (kg/u.)	PALLET (kg/u.)	€/kg	€/Pack.
SEIRECUARZO 0,4	5002548	Siliceous mineral filler to prepare self-levelling and multilayer mortars.	—	25	1000	0,80	20,00
SEIRECUARZO 0,6	5002549	Siliceous mineral filler for broadcasting of multilayer systems.	—	25	1000	0,80	20,00
SEIRECUARZO 0,8	5002551	Siliceous mineral filler to prepare dry mortars.	—	25	1000	0,80	20,00
SEIRECUARZO COLOR	5004953	Colored siliceous mineral filler for dusting multilayer systems and preparing mortars. Granulometry 0.6 mm	—	25 Minimum 10 uds.	1200	2,21	55,25
ADITIVO ANTISLIP	37390	Granular filler of a plastic nature to provide surfaces with a non-slip effect.	—	5	180	69,26	346,30
DILUYENTE EPOXI	23341	Diluent and cleaner for Epoxy resins.	—	5 L	400	8,76	43,80
	14104		—	25 L	500	6,70	167,50
DILUYENTE PU Y POLIASPARTICOS	16221	Diluent and cleaner for PU and Polyaspartics.	—	5 L	400	10,20	51,00
	14105		—	25 L	500	9,17	229,25
CINTA DE COBRE	14040	Conductive self-adhesive strip for creating antistatic flooring.	—	0,06x19x16500 mm	—	296,64 Roll	296,64 Roll
MALLA SPORTEC 4 mm		Rubber blanket Comfort System	—	30 x 1,5 mts	—	1.040,40	1.040,40

CONCRETE REPAIR / Mortars, Adhesives and Injection

PRODUCT	CODE	DESCRIPTION	CONSUMPTION	PACKAGING (kg/u.)	PALLET (kg/u.)	€/kg	€/Pack.
ADIPOX INYECCION	8001409	100% solids epoxy resin for crack injection.	1,1 kg/L	5	80 packs = 2 pallets	30,36	151,80
ADIPOX UNION 100	8001445	100% solids fluid epoxy adhesive specially designed for adhesion between fresh and hardened concrete. EN 12636 certified	Aprox. 350 g/m ²	12	36 packs = 2 pallets	19,64	235,68
ADIPOX EP1000	8004972	Three-component epoxy mortar for anchoring, fixing and filling. Fluid and 100% solids.	Aprox. 2,1 kg/L	34	36 packs = 3 pallets	7,15	243,10
SEIREPOX A/N	8001417	100% solids, two-component epoxy adhesive used to affix and bond construction materials. EN 1504-6 certified	1,4 kg/m ² /mm	5	80 packs = 2 pallets	15,66	78,30
	8004457			25	20 packs = 1 pallet	14,29	357,25
SEIRELATEX	25962	Mortar additive to increase performance like adhesion, flexibility, etc. Indoor and outdoor.	According to end use of mortar	25	600	7,56	189,00

● Minimum order 1 Pallet complet

Colours Chart

The colours shown here are approximate and may differ from their original appearance once applied.

This colour card is composed of two groups (Group 1 and Group 2), consisting of 32 and 18 RAL colours respectively. Their prices are indicated in this price list as Group 1 Colours and Group 2 Colours.


The colours belonging to Group 2 have a slightly higher price (already included in the price list); this is due to the increased cost of the pigments used in their manufacture.

The colours outside of both classifications are defined as GROUP 3. These colours are subject to assessment by Management according to the following factors: quantity, manufacturing availability, pigment cost and delivery time.

As noted, availability of some colours is limited for some products.

Colours and/or quantities which are not specified in the product description are not available. Please check.

RAL Colours Chart - Colours 1



RAL Colours Chart - Colours 2



Seire

SEIRE PRODUCTS, S.L.

Certified Company ISO9001

P. I. Albolleque, Sector III
c/ Los Muchos, 34-36
19160 Chiloeches (Guadalajara)

Tel.: +34 93 846 62 52
www.seire.net
seire@seire.net

FOR ORDERS:
pedidos@ardex.es



www.seire.es



ARDEXGROUP

Extract from the general conditions of sale

PRICE LIST

This price list supersedes and voids all previous price lists.

The listed prices exclude VAT and transportation.

The listed prices are effective as from January 1, 2025 and remain subject to change without prior notice by SEIRE PRODUCTS, S.L.

These prices apply to products made available in our factory in Chiloeches (Guadalajara).

ORDERS, SHIPPING AND DELIVERY TIMES

Sales of 5 kg bags of joints are subject to a minimum of 1 box per sale (containing 4 units).

Orders must be confirmed in writing, via fax or email.

Orders under 300 euros must be paid in full at time of purchase

Shipping is the responsibility and at the risk of the purchaser, including when shipping and/or freight costs are borne by SEIRE PRODUCTS, S.L.

The value of packaging is included in the price. Packaging is not returnable.

The end-customer remains responsible for the correct handling and disposal of all received packaging.

First additional provision of Law 11/1997.

The delivery times are counted from receipt of formal written confirmation of the order, as follows:

a) 5 working days for national products (ex-works).

b) 10 working days for imported products (ex-works).

(Please contact our Customer Support Department).

GUARANTEE

SEIRE PRODUCTS, S.L. takes responsibility for the quality of its products. The recommendations of use given are based on tests and practical experience, as set out in the Product Technical Sheets. SEIRE PRODUCTS, S.L. will not be held responsible for any product or application in case of dosage or application other than as described and recommended. The Company's liability is limited, in any event, to cases where there is a recognised defect in the product.

For any questions about this product, please contact SEIRE PRODUCTS, S.L. Technical Department. [Tel. +34 949 366 953]

COMPLAINTS - REQUEST FOR RETURNS

Complaints will only be considered where made in writing and no later than ten days following receipt of the products.

Product returns must be authorised by SEIRE PRODUCTS, S.L., and delivered to our factory, with shipping at the purchaser's expense.

Only goods received in good condition and on full pallets will be accepted, subject to a 35% discount applied to their value.

Returns of products occurring more than 30 days following their delivery to the purchaser will not be accepted.

JURISDICTION

All purchases, whatever their place of delivery, are considered as occurring at the registered office of SEIRE PRODUCTS, S.L.

By confirming their order, the customer agrees to submit to the jurisdiction of the Judges and Courts of Guadalajara and expressly waives any other jurisdiction.